



Riverside County
Waste Management Department

Hans W. Kernkamp, General Manager-Chief Engineer

November 30, 2005

John Robertus, Executive Officer
California Regional Water Quality Control Board
San Diego Region
9174 Sky Park Court, Suite 100
San Diego, CA 92123-4340

RE: Tentative Order No. R9-2005-0183 - Waste Discharge Requirements for Closure and Post-Closure Maintenance of Anza Sanitary Landfill, Anza, CA
LDU: 06-0204.02:agrove

Dear Mr. Robertus:

The Riverside County Waste Management Department (Department) has received your letter regarding Tentative Order No. R9-2005-0183, and its associated Monitoring and Reporting Program, dated November 14, 2005. The letter was received in our office on November 16, 2005. The letter states that written comments are due to the Regional Board by December 1, 2005. The December 1, 2005 due date does not offer the Department a realistic timeframe, especially with the recent Thanksgiving holiday, to adequately review and comment on these important and extensive documents and discuss them with your staff. The Department hereby respectfully requests that the item is pulled and rescheduled for the subsequent Board meeting.

If you have any questions, please contact me or Joe McCann of my staff at (951) 486-3200.

Sincerely,



Hans Kernkamp
General Manager – Chief Engineer

ACMD/AE: acmd/ae
PD# 39258v1

cc: John Odermatt, RWQCB
Amy Grove, RWQCB
Angela Dufresne
Anne Ennesser
Andrew Cortez